

Painted bollard with base plate

As manufacturer we can offer you the following:

This list contains our standard dimensions.

Other dimensions are also possible.

Do not hesitate to contact us for more information

Available in one coat of powder coating

in the following standard colours satin sheen solid

Black	RAL 9005
Yellow	RAL 1023
Red	RAL 3000
White	RAL 9010

Code						weight
------	--	--	--	--	--	--------



<u>Bollard with welded plate</u> Rounded head Stainless steel painted Ø paal 60.3 x 2 mm Total length : 750 – 900 mm Ø base plate 160 x 10 mm with 3 holes Seamless finish	RP-VF-60.3x2x750-rvs-ral					5.4 kg
	RP-VF-60.3x2x900-rvs-ral					5.9 kg



<u>Bollard with welded plate</u> Rounded head Stainless steel painted Ø paal 60.3 x 3.6 mm Total length : 750 – 900 mm Ø base plate 160 x 10 mm with 3 holes Seamless finish	RP-VF-60.3x3.6x750-rvs-ral					7 kg
	RP-VF-60.3x3.6x900-rvs-ral					7.8 kg



<u>Bollard with welded plate</u> Rounded head Stainless steel painted Ø paal 76.1 x 2 mm Total length : 750 – 900 mm Ø base plate 160 x 10 mm with 3 holes Seamless finish	RP-VF-76.1x2x750-rvs-ral					6 kg
	RP-VF-76.1x2x900-rvs-ral					7 kg



<u>Bollard with welded plate</u> Rounded head Stainless steel painted Ø paal 88.9 x 2 mm Total length : 750 – 900 mm Ø base plate 160 x 10 mm with 3 holes Seamless finish	RP-VF-88.9x2x750-rvs-ral					6.5 kg
	RP-VF-88.9x2x900-rvs-ral					7.2 kg



	Code				weight
<u>Bollard with welded plate</u> Rounded head Stainless steel painted Ø paal 88.9 x 3.05 mm Total length : 750 – 900 mm Ø base plate 160 x 10 mm with 3 holes Seamless finish	RP-VF-88.9x3.05x750-rvs-ral				8 kg
	RP-VF-88.9x3.05x900-rvs-ral				9 kg



<u>Bollard with welded plate</u> Rounded head Stainless steel painted Ø paal 104 x 2 mm Total length : 750 – 900 mm Ø base plate 200 x 10 mm with 3 holes Seamless finish	RP-VF-104x2x750-rvs-ral				7 kg
	RP-VF-104x2x900-rvs-ral				8.5 kg



<u>Bollard with welded plate</u> Rounded head Stainless steel painted Ø paal 101.6 x 3.05 mm Total length : 750 – 900 mm Ø base plate 200 x 10 mm with 3 holes Seamless finish	RP-VF-101.6x3.05x750-rvs-ral				9 kg
	RP-VF-101.6x3.05x900-rvs-ral				11 kg



<u>Bollard with welded plate</u> Rounded head Stainless steel painted Ø paal 154 x 2 mm Total length : 750 -900 mm Ø base plate 240 x 10 mm with 3 holes Seamless finish	RP-VF-154x2x750-rvs-ral				11 kg
	RP-VF-154x2x900-rvs-ral				13 Kg



<u>Bollard with welded plate</u> Rounded head Stainless steel painted Ø paal 156 x 3 mm Total length: 750 – 900 mm Ø base plate 240 x 10 mm with 3 holes Seamless finish	RP-VF-156x3x750-rvs-ral				14 Kg
	RP-VF-156x3x900-rvs-ral				17 kg



<u>Bollard with welded plate</u> Rounded head Stainless steel painted Ø paal 204 x 2 mm Total length : 750 – 900 mm Ø base plate 300 x 10 mm with 3 holes Seamless finish		
	RP-VF-204x2x750-rvs-ral	13 kg
	RP-VF-204x2x900-rvs-ral	15 kg



<u>Bollard with welded plate</u> Rounded head Stainless steel painted Ø paal 206 x 3 mm Total length : 750 -900 mm Ø base plate 300 x 10 mm with 3 holes Seamless finish		
	RP-VF-206x3x750-rvs-ral	17 kg
	RP-VF-206x3x900-rvs-ral	20.5 kg

Seamless finish



All seams are welded and seamlessly finished, making the posts HACCP responsible.

option

Filled with concrete



Extra strength
 Minimal to no deformation upon impact
 Maximum impact resistance

	Weight per meter
Ø 60.3	14 kg
Ø 76.1	15 kg
Ø 88.9	18 kg
Ø 101.6	28 kg
Ø 104	25 kg
Ø 154	53 kg
Ø 156	57 kg
Ø 204	88 kg
Ø 206	93 kg

option

Reflective tape:

Height per tape is 55 mm. The tape is placed with an intermediate distance of 55 mm
Also available separately (to stick yourself)

white



yellow



red



1 reflective tape



2 reflective tapes



option

Black tape:

Height per tape is 50 mm. The tape is placed with an intermediate distance of 50 mm.
Also available separately (to stick yourself)

1 black tape



2 black tapes



For orders or price requests please mail to: info@axra.be